

Corn gluten feed



DAIRYLAND
Laboratories, Inc.

<u>Mycotoxin</u>	Median	% Not detected	% Safe	% Concern	% Potentially harmful	n
<u>Aflatoxin</u> , ppb	0.00	96.65	2.23	1.12	0.00	179
<u>Vomitoxin</u> , ppm	1.71	1.79	1.79	84.82	11.61	112
<u>Zearalenone</u> , ppb	169	4.90	62.75	32.35	0.00	102
<u>Total T2/HT2</u> , ppb	0.00	72.63	25.14	2.23	0.00	179
<u>Fumonisin</u> , ppm	0.00	51.40	18.99	28.49	1.12	179
<u>Ochratoxin-A</u> , ppb	0.00	100	0.00	0.00	--	90
<u>Roquefortine C</u> , ppb	0.00	100	0.00	0.00	--	73

The distributions of mycotoxins presented are based on incoming samples tested at Dairyland Laboratories and may not be representative of the total population.

Detection limits: Aflatoxin (1 ppb), Vomitoxin (0.1 ppm), Zearalenone (10 ppb), Total T2/HT2 (5 ppb), Fumonisin (0.1 ppm), Ochratoxin (1.1 ppb), Roquefortine C (1 ppb)

Generally recognized as safe: Aflatoxin (0-20 ppb), Vomitoxin (0-0.3 ppm), Zearalenone (0-250 ppb), Total T2/HT2 (0-100 ppb), Fumonisin (0-1 ppm), Ochratoxin (0-250 ppb), Roquefortine C (0-1000 ppb)

Concern levels: Generally recognized as safe: Aflatoxin (20-130 ppb), Vomitoxin (0.3-2.5 ppm), Zearalenone (250-3900 ppb), Total T2/HT2 (100-700 ppb), Fumonisin (1-6.7 ppm), Ochratoxin (250-5000 ppb), Roquefortine C (> 1000 ppb)

Potentially harmful levels: Generally recognized as safe: Aflatoxin (>130 ppb), Vomitoxin (>2.5 ppm), Zearalenone (>3900 ppb), Total T2/HT2 (>700 ppb), Fumonisin (>6.7 ppm), Ochratoxin (>5000 ppb)

The safe, concern, and potentially harmful levels are based on recommendations for the amounts of mycotoxins in the **total ration dry matter** for cattle.

Corn gluten feed



DAIRYLAND
Laboratories, Inc.

